



Office: 508-862-4644
FAX: 508-790-6304

Town of Barnstable

Board of Health

200 Main Street, Hyannis MA 02601



Wayne Miller, M.D.
Paul Canniff, D.M.D.
Junichi Sawayanagi

BOARD OF HEALTH MEETING AGENDA Tuesday, October 14, 2008 at 3:00 PM Town Hall, Hearing Room 367 Main Street, Hyannis, MA

- I. **Hearing – Estuary Ordinance** - Postponed to Nov. 18 Board of Health Meeting.
- II. **Septic Variances (New):**
 - A. Dan Ojala, Down Cape Engineering, representing Dr. Stanley Goldstone, owner - 223 Fifth Avenue, Hyannis, Map/Parcel 245-041, 8,000 square feet lot, three variances for repair.
 - B. John O’Dea, Sullivan Engineering, representing Michael and Gisa Belanger, owner –100 Cross Street, Cotuit, Map/Parcel 033-032, 0.9 acre lot, four variances for repair.
- III. **Innovation/Alternative System:**
POSTPONED TO NOV 18 BOH MEETING Robin Wilcox, Sweetser Engineering, representing Philip and Mary Ellen Nelson, Trustees – 90 Harbor Point Road, Barnstable, Map/Parcel 352-001, 15 acre lot, house renovation.
- IV. **Six Bedroom:**
Glen Harrington representing Taylor Joyce, owner – 100 Oregon Road, Cotuit, Map/Parcel 016-012, 2.6 acre lot.
- V. **Variance – Temporary Food Permit:**
John Rega for Taste of Cape Cod Festival, to be held at Resort & Conference Center, Scudder Ave, Hyannis, on November 23, 2008.
- VI. **Old Business / New Business:**
 - A. Dumpster Update -James Madru, Manager, Breakwater Condominiums, dumpster setback to property line.
 - B. Rainwater standing on top of septic – 70 Thoreau Drive, Centerville.
 - C. Number of Bedrooms to be verified – 58 Mockingbird Lane, Marstons Mills.
 - D. Harry Grong for The British Beer Company, 412 Main Street, Hyannis, (continued from Aug. 2008), with results of grease trap log.
 - E. Felis Barreiro, owner, Alberto’s Restaurant, Main Street, Hyannis (continued from May 2008) with results of grease trap log to determine frequency of grease trap pumping with additional seats.

Old Business / New Business (cont.)

- F. Original Gourmet Brunch, Main Street, Hyannis (from May 2008), results of grease trap log to determine frequency of grease trap pumping, seating.
- G. Pain D'Avignon - Status of toilet facilities, seats and permits.
- H. Status – Regulations Revisions